Linear

Bet CH0246

Linear luminaire




Linear luminaire. 33 W. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power	Voltage	Luminous flux
33 W	230 V AC	2460 lm
Colour temperature	**CRI**	**IP rating**
2700 K, 3000 K, 4000 K	97 CRI	IP20
Certifications	**Mounting**	**Finishes**
CE	Surface	White

Dimensions




Models

Code	Version	Power	Voltage	Flux	CRI	Size
CH0246	Wall washer	33 W	230 V AC	2460 lm	97 CRI	402 × 34 × 68 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for CH0246, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

CH0246, 33 W, wall washer



Luminous flux	**2,460 lm**
Efficacy	**75 lm/W**
Peak intensity	**2,211 cd, 899 cd/klm**
Beam angle (50%)	**asymmetric**
Cut-off angle (2.5%)	**90°**
Flux 0–30° / 30–60° / 60–90°	**23.9 / 60.4 / 15.7 %**
Size	**402 × 34 × 68 mm**
Data	**Calculated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.