Superslim 5 mm system

Cone Pendant CL-B

Superslim 5 mm pendant




Pendant for the Superslim 5 mm magnetic track. 4 W. 50° beam. 2700, 3000, 4000, 5000 K. 97 CRI.

- LED source: Citizen

Power	Voltage	Colour temperature
4 W	48 V DC	2700 K, 3000 K, 4000 K, 5000 K
CRI	**Beam angles**	**Mounting**
97 CRI	50°	Magnetic track
Control	**Finishes**	
Casambi, Tuya, DALI, 0-10V	White, Black	

Dimensions



Models

Code	Power	Voltage	CRI	Size	Beam
CL-B	4 W	48 V DC	97 CRI	Ø68 × 45 × 126 mm	50°

Finishes



Black





White

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for CL-B, from the same data as the IES and LDT files on the product page. Estimated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

CL-B, 4 W, 50° beam





Luminous flux	**300 lm**
Efficacy	**75 lm/W**
Peak intensity	**364 cd, 1,213 cd/klm**
Beam angle (50%)	**50°**
Field angle (10%)	**91.1°**
Cut-off angle (2.5%)	**57.5°**
Flux 0–30° / 30–60° / 60–90°	**64.8 / 33.6 / 1.5 %**
Size	**Ø68 × 45 mm**
Data	**Estimated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.