Floor Lamps

M31 Marble

Floor lamp




Floor lamp. 1 W. 120° beam. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power	Voltage	Colour temperature
1 W	3 V	2700 K, 3000 K, 4000 K
CRI	**Beam angles**	**IP rating**
97 CRI	120°	IP20
Mounting	**Control**	**Finishes**
Floor	On/Off	White

Dimensions




Models


Code	Power	Voltage	CRI	Size	Beam	Notes
M31	1 W	3 V	97 CRI	Ø83 × 104 mm	120°	330 mA

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for M31, from the same data as the IES and LDT files on the product page. Estimated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

M31, 1 W, 120° beam





Luminous flux	**60 lm**
Efficacy	**60 lm/W**
Peak intensity	**18 cd, 298 cd/klm**
Beam angle (50%)	**120°**
Cut-off angle (2.5%)	**90°**
Flux 0–30° / 30–60° / 60–90°	**23 / 45.1 / 31.8 %**
Size	**Ø83 × 104 mm**
Data	**Estimated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.