Wall Lamps

Oval Indoor WL0105

Wall light




Wall light. 8 W. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power	Voltage	Luminous flux
8 W	230 V AC	700 lm
Colour temperature	**CRI**	**IP rating**
2700 K, 3000 K, 4000 K	97 CRI	IP20
Certifications	**Mounting**	**Finishes**
CE	Surface, Wall	Black

Dimensions




Models


Code	Power	Voltage	Flux	CRI	Size
WL0105	8 W	230 V AC	700 lm	97 CRI	450 × Ø20 mm tube, back plate 135 × 50 × 30

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for WL0105, from the same data as the IES and LDT files on the product page. Measured with a goniophotometer in the laboratory; each file gives the test date.

WL0105, 8.2 W, 3000 K, 69.2° beam, measured





Luminous flux	**317 lm**
Efficacy	**39 lm/W**
Peak intensity	**285 cd, 899 cd/klm**
Beam angle (50%)	**69.2°**
Field angle (10%)	**86.1°**
Cut-off angle (2.5%)	**57°**
Flux 0–30° / 30–60° / 60–90°	**61.2 / 37.8 / 1 %**
Size	**Ø20 × 450 mm**
Data	**Measured with a goniophotometer (EVERFINE GO-2000B), 22 August 2025**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.