Wall Lamps

Oval Indoor WL0106

Wall light




Wall light. 8 W. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power **8 W**	Voltage **230 V AC**	Luminous flux **700 lm**
Colour temperature **2700 K, 3000 K, 4000 K**	CRI **97 CRI**	IP rating **IP20**
Certifications **CE**	Mounting **Surface, Wall**	Finishes **Black**

Dimensions




Models


Code	Power	Voltage	Flux	CRI	Size
WL0106	8 W	230 V AC	700 lm	97 CRI	450 × Ø20 mm tube, round back plate Ø60 × 40

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for WL0106, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

WL0106, 8 W, wide distribution





Luminous flux	700 lm
Efficacy	88 lm/W
Peak intensity	223 cd, 318 cd/klm
Beam angle (50%)	120°
Field angle (10%)	168.5°
Cut-off angle (2.5%)	88.5°
Flux 0–30° / 30–60° / 60–90°	25 / 50 / 25 %
Size	Ø20 × 450 mm
Data	Calculated from catalogue data

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.