
Wall Lamps

Oval Indoor WL0136

Wall light




Wall light. 9 W. 36° beam. 2700, 3000, 4000 K. 97 CRI.

– LED source: Citizen

Power **9 W**	Voltage **230 V AC**	Luminous flux **720 lm**
Colour temperature **2700 K, 3000 K, 4000 K**	CRI **97 CRI**	Beam angles **36°**
IP rating **IP20**	Certifications **CE**	Mounting **Surface, Wall**
Finishes **Black**		

Dimensions




Models


Code	Power	Voltage	Flux	CRI	Size	Beam
WL0136	9 W	230 V AC	720 lm	97 CRI	709 × Ø20 mm; plate 155 × 35 mm	36°

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for WL0136, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

WL0136, 9 W, 36° beam





Luminous flux	**720 lm**
Efficacy	**80 lm/W**
Peak intensity	**1,648 cd, 2,289 cd/klm**
Beam angle (50%)	**36°**
Field angle (10%)	**65.6°**
Cut-off angle (2.5%)	**41.5°**
Flux 0–30° / 30–60° / 60–90°	**86.1 / 13.9 / 0 %**
Size	**Ø20 × 709 mm**
Data	**Calculated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.