
Wall Lamps

Oval Outdoor WL0075

Wall light



Wall light. 8 W. 2700, 3000, 4000 K. IP65. 97 CRI.

- LED source: Citizen

Power **8 W**	Voltage **230 V AC**	Luminous flux **400 lm**
Colour temperature **2700 K, 3000 K, 4000 K**	CRI **97 CRI**	IP rating **IP65**
Certifications **CE**	Mounting **Surface, Wall**	Finishes **Black**


Models


Code	Power	Voltage	Flux	CRI	Size
WL0075	8 W	230 V AC	400 lm	97 CRI	155 × 60 × 120 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for WL0075, from the same data as the IES and LDT files on the product page. Measured with a goniophotometer in the laboratory; each file gives the test date.

WL0075, 8.7 W, 3000 K, 81.9° beam, measured





Luminous flux	**210 lm**
Efficacy	**24 lm/W**
Peak intensity	**120 cd, 571 cd/klm**
Beam angle (50%)	**81.9°**
Field angle (10%)	**161.8°**
Cut-off angle (2.5%)	**90°**
Flux 0–30° / 30–60° / 60–90°	**4.1 / 11.4 / 84.5 %**
Size	**155 × 60 × 120 mm**
Data	**Measured with a goniophotometer (EVERFINE GO-2000B), 22 August 2025**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.