Wall Lamps

C39

Wall light




Wall light. 10 W. 120° beam. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power	Voltage	Colour temperature
10 W	**36 V**	**2700 K, 3000 K, 4000 K**
CRI	Beam angles	IP rating
97 CRI	**120°**	**IP20**
Mounting	Control	Finishes
Recessed, Wall	**On/Off**	**Black**

Dimensions




Models


Code	Power	Voltage	CRI	Size	Beam	Notes
RE-C39-0801	10 W	36 V	97 CRI	250 × 100 × 75 mm	120°	250 mA

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for RE-C39-0801, from the same data as the IES and LDT files on the product page. Estimated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

RE-C39-0801, 10 W, 120° beam





Luminous flux	600 lm
Efficacy	60 lm/W
Peak intensity	179 cd, 298 cd/klm
Beam angle (50%)	120°
Cut-off angle (2.5%)	90°
Flux 0–30° / 30–60° / 60–90°	23 / 45.1 / 31.8 %
Size	250 × 100 × 75 mm
Data	Estimated from catalogue data

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.