Wall Lamps

Star DL1865

Wall light




Wall light.

- Ceiling cut-out Ø80 mm
- LED source: Citizen

Voltage	Luminous flux	Colour temperature
24 V DC	20 / 40 lm	2700 K, 3000 K, 4000 K
CRI	**IP rating**	**Certifications**
97 CRI	IP20	CE
Mounting	**Finishes**	
Recessed, Wall	White	

Dimensions




Models


Code	Voltage	Flux	CRI	Cut-out
DL1865	24 V DC	20 / 40 lm	97 CRI	Ø80 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for DL1865, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

DL1865, wide distribution





Luminous flux	**20 lm**
Peak intensity	**6 cd, 318 cd/klm**
Beam angle (50%)	**120°**
Field angle (10%)	**168.5°**
Cut-off angle (2.5%)	**88.5°**
Flux 0–30° / 30–60° / 60–90°	**25 / 50 / 25 %**
Data	**Calculated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.