Track Spotlights

Tour TR0190

Track spotlight




Track spotlight. 15 W. 75° beam. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power **15 W**	Voltage **48 V DC**	Luminous flux **1180 lm**
Colour temperature **2700 K, 3000 K, 4000 K**	CRI **97 CRI**	Beam angles **75°**
IP rating **IP20**	Certifications **CE, Class III**	Mounting **Magnetic track**
Finishes **Black**		

Dimensions




Models


Code	Power	Voltage	Flux	CRI	Size	Beam
TR0190	15 W	48 V DC	1180 lm	97 CRI	Ø90 × 35 mm	75°

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for TR0190, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

TR0190, 15 W, 75° beam





Luminous flux	**1,180 lm**
Efficacy	**79 lm/W**
Peak intensity	**681 cd, 577 cd/klm**
Beam angle (50%)	**75°**
Field angle (10%)	**136.7°**
Cut-off angle (2.5%)	**86.5°**
Flux 0–30° / 30–60° / 60–90°	**39.3 / 47.8 / 12.9 %**
Size	**Ø90 × 35 mm**
Data	**Calculated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.