Track Spotlights

TR0195

Track spotlight



Track spotlight. 15 W. 2700, 3000, 4000 K. 97 CRI.

- LED source: Citizen

Power	Voltage	Luminous flux
15 W	230 V AC	1200 lm
Colour temperature	**CRI**	**IP rating**
2700 K, 3000 K, 4000 K	97 CRI	IP20
Certifications	**Mounting**	**Finishes**
CE	Magnetic track	Black


Models


Code	Version	Power	Voltage	Flux	CRI	Size
TR0195	15–60°	15 W	230 V AC	1200 lm	97 CRI	Ø60 × 153 mm; adapter L70 x W32 x H42 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for TR0195, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

TR0195, 15 W, wide distribution





Luminous flux	**1,200 lm**
Efficacy	**80 lm/W**
Peak intensity	**382 cd, 318 cd/klm**
Beam angle (50%)	**120°**
Field angle (10%)	**168.5°**
Cut-off angle (2.5%)	**88.5°**
Flux 0–30° / 30–60° / 60–90°	**25 / 50 / 25 %**
Size	**Ø60 × 153 mm**
Data	**Calculated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.