Track Spotlights

TR0227

Track spotlight




Track spotlight. 10 W. 2700, 3000, 4000 K. 97 CRI.

– LED source: Citizen

Power	Voltage	Luminous flux
10 W	230 V AC	560 lm
Colour temperature	**CRI**	**IP rating**
2700 K, 3000 K, 4000 K	97 CRI	IP20
Certifications	**Mounting**	**Finishes**
CE	Magnetic track	Black

Dimensions




Models


Code	Version	Power	Voltage	Flux	CRI	Size
TR0227	25–35°	10 W	230 V AC	560 lm	97 CRI	Ø38 × 169 mm; adapter L163 x W32 x H41 mm

Photometry

Polar curve, on-axis illuminance with beam diameter at 1–5 m, and key figures for TR0227, from the same data as the IES and LDT files on the product page. Calculated from catalogue data, not measured with a goniophotometer. Other models with the same beam share this distribution, scaled to their luminous flux.

TR0227, 10 W, wide distribution





Luminous flux	**560 lm**
Efficacy	**56 lm/W**
Peak intensity	**178 cd, 318 cd/klm**
Beam angle (50%)	**120°**
Field angle (10%)	**168.5°**
Cut-off angle (2.5%)	**88.5°**
Flux 0–30° / 30–60° / 60–90°	**25 / 50 / 25 %**
Size	**Ø38 × 169 mm**
Data	**Calculated from catalogue data**

DiaNoche
service@dianoche.it
dianoche.it

Technical data may change without notice.