Altura Sommella & Anonima Luci 2019

TECHNICAL SHEET

1907-10

Mounting: Floor Lamp
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 100-240V 50/60Hz
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Lighting Control: Dimmer on cable

1907-20

Mounting: Suspension
Environment: Indoor - IP20
Materials: Metallo/Metal
Input Current: 700mA
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Cable RAL: 9005

1907-21

Mounting: Suspension mini
Environment: Indoor - IP20
Materials: Metallo/Metal
Input Current: 700mA
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Cable RAL: 9005




Rosoni / Canopies

1907-90 CANOPY TYPE C

Mounting: a soffitto / ceiling
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 220-240V 50/60Hz
Lighting Control: Dimmable 0-10V

Altura sospensione installabile su Rosone Barra type Y
Altura suspension installable on Bar canopy type Y



L212 x Ø40 x H226

Finiture / Finishes

Struttura / Structure 1907-10



Nero opaco
Matt black

Struttura / Structure 1907-20



Nero opaco
Matt black



Bianco opaco
Matt white



Bronzo opaco
Matt bronze

Struttura / Structure 1907-21



Nero opaco
Matt black

Rosoni / Canopies



Metallo nero opaco
Matt black metal



Metallo oro opaco
Matt gold metal



Bianco opaco
Matt white

NOTE:
Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosoni singoli, con le piastre multiple o con il rosone barra.
Vale altresì il viceversa: rosoni, piastre multiple e rosoni barra non possono essere venduti separatamente dai pendenti.
Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.
Qualsiasi installazione non autorizzata non viene giudicata conforme.
Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes, multiple plates and bar acnopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.
Any unauthorized installation will not be deemed compliant.
Check max H dimension in the illustrative drawing.

Altura Sommella & Anonima Luci

PENTA

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1907-10-1111-DXNE	floor lamp	nero opaco / matt black		dimmer on cable / 3000K
1907-10-1111-DXWE	floor lamp	nero opaco / matt black		dimmer on cable / 2700K
1907-20-1111-D2NE	suspension	nero opaco / matt black		3000K
1907-20-1111-D2WE	suspension	nero opaco / matt black		2700K
1907-20-1616-D2NE	suspension	bronzo opaco / matt bronze		3000K
1907-20-1616-D2WE	suspension	bronzo opaco / matt bronze		2700K
1907-20-0101-D2NE	suspension	bianco opaco / matt white		3000K
1907-20-0101-D2WE	suspension	bianco opaco / matt white		2700K
1907-21-1111-D2NE	mini suspension	nero opaco / matt black		3000K
1907-21-1111-D2WE	mini suspension	nero opaco / matt black		2700K
1907-90-1100-DXLE	canopy type C	nero opaco / matt black		dimmable 0-10V
1907-90-0600-DXLE	canopy type C	oro opaco / matt gold		dimmable 0-10V
1907-90-0100-DXLE	canopy type C	bianco opaco / matt white		dimmable 0-10V